

## 土被り早見表（矢板引抜きを行う場合）

## ●外圧管1種 B形、C形 下水道協会式（矢板引抜きを行う場合）

| 基 础     | 許 容 土 か ぶ り |     |     |     |        |     |     |     |      |     |      |     |
|---------|-------------|-----|-----|-----|--------|-----|-----|-----|------|-----|------|-----|
|         | 砂 または 土     |     |     |     | コンクリート |     |     |     |      |     |      |     |
| 支 承 角   | 60°         |     | 90° |     | 120°   |     | 90° |     | 120° |     | 180° |     |
| 限 界     | 下限          | 上限  | 下限  | 上限  | 下限     | 上限  | 下限  | 上限  | 下限   | 上限  | 下限   | 上限  |
| 呼び径 (m) | (m)         | (m) | (m) | (m) | (m)    | (m) | (m) | (m) | (m)  | (m) | (m)  | (m) |
| 200     | 0.5         | 2.1 | 0.5 | 2.7 | 0.5    | 3.1 | 0.5 | 2.0 | 0.5  | 2.6 | 0.5  | 2.7 |
| 250     | 0.5         | 1.7 | 0.5 | 2.3 | 0.5    | 2.7 | 0.5 | 1.8 | 0.5  | 2.3 | 0.5  | 2.4 |
| 300     | 0.6         | 1.5 | 0.5 | 2.1 | 0.5    | 2.6 | 0.5 | 1.6 | 0.5  | 2.2 | 0.5  | 2.4 |
| 350     | 0.6         | 1.5 | 0.5 | 2.1 | 0.5    | 2.6 | 0.5 | 1.7 | 0.5  | 2.2 | 0.5  | 2.5 |
| 400     | 0.7         | 1.5 | 0.6 | 2.1 | 0.5    | 2.6 | 0.5 | 1.8 | 0.5  | 2.2 | 0.5  | 2.6 |
| 450     | 0.7         | 1.5 | 0.6 | 2.1 | 0.5    | 2.6 | 0.5 | 1.8 | 0.5  | 2.3 | 0.5  | 2.6 |
| 500     | 0.7         | 1.5 | 0.6 | 2.2 | 0.5    | 2.7 | 0.5 | 1.9 | 0.5  | 2.4 | 0.5  | 2.7 |
| 600     | 0.8         | 1.4 | 0.6 | 2.1 | 0.5    | 2.6 | 0.5 | 2.0 | 0.5  | 2.6 | 0.5  | 2.9 |
| 700     | 0.9         | 1.3 | 0.6 | 2.1 | 0.5    | 2.6 | 0.5 | 2.0 | 0.5  | 2.6 | 0.5  | 2.8 |
| 800     | —           | —   | 0.6 | 2.1 | 0.5    | 2.6 | 0.6 | 2.0 | 0.5  | 2.6 | 0.5  | 2.8 |
| 900     | —           | —   | 0.7 | 2.0 | 0.5    | 2.5 | 0.6 | 2.1 | 0.5  | 2.6 | 0.5  | 2.8 |
| 1000    | —           | —   | 0.7 | 2.0 | 0.5    | 2.6 | 0.6 | 2.0 | 0.5  | 2.6 | 0.5  | 2.9 |
| 1100    | —           | —   | 0.8 | 1.9 | 0.5    | 2.4 | 0.6 | 1.9 | 0.5  | 2.5 | 0.5  | 2.7 |
| 1200    | —           | —   | 0.9 | 1.8 | 0.5    | 2.4 | 0.7 | 1.9 | 0.5  | 2.5 | 0.5  | 2.7 |
| 1350    | —           | —   | 0.8 | 1.6 | 0.6    | 2.2 | 0.7 | 1.7 | 0.5  | 2.4 | 0.5  | 2.6 |
| 1500    | —           | —   | —   | —   | 0.7    | 2.1 | 0.8 | 1.6 | 0.5  | 2.4 | 0.5  | 2.6 |
| 1650    | —           | —   | —   | —   | 0.7    | 2.1 | 0.8 | 1.5 | 0.5  | 2.4 | 0.5  | 2.5 |
| 1800    | —           | —   | —   | —   | 0.7    | 2.1 | 0.9 | 1.5 | 0.5  | 2.3 | 0.5  | 2.5 |
| 2000    | —           | —   | —   | —   | 0.7    | 2.0 | 0.9 | 1.4 | 0.5  | 2.3 | 0.5  | 2.5 |
| 2200    | —           | —   | —   | —   | 0.7    | 2.0 | 0.9 | 1.4 | 0.5  | 2.3 | 0.5  | 2.5 |
| 2400    | —           | —   | —   | —   | 0.7    | 2.0 | 0.9 | 1.5 | 0.5  | 2.3 | 0.5  | 2.6 |
| 2600    | —           | —   | —   | —   | 0.7    | 2.1 | 0.9 | 1.5 | 0.5  | 2.4 | 0.5  | 2.6 |
| 2800    | —           | —   | —   | —   | 0.7    | 2.1 | 1.1 | 1.6 | 0.5  | 2.4 | 0.5  | 2.7 |
| 3000    | —           | —   | —   | —   | 0.7    | 2.2 | 0.9 | 1.6 | 0.5  | 2.5 | 0.5  | 2.7 |

## ●外圧管2種 B形、C形 下水道協会式（矢板引抜きを行う場合）

| 基 础     | 許 容 土 か ぶ り |     |      |        |      |      |
|---------|-------------|-----|------|--------|------|------|
|         | 砂 または 土     |     |      | コンクリート |      |      |
| 支 承 角   | 60°         | 90° | 120° | 90°    | 120° | 180° |
| 限 界     | 上限          | 上限  | 上限   | 上限     | 上限   | 上限   |
| 呼び径 (m) | (m)         | (m) | (m)  | (m)    | (m)  | (m)  |
| 200     | 3.3         | 3.9 | 4.5  | 3.0    | 3.7  | 3.8  |
| 250     | 2.8         | 3.4 | 4.0  | 2.7    | 3.3  | 3.5  |
| 300     | 2.7         | 3.4 | 3.9  | 2.7    | 3.3  | 3.6  |
| 350     | 2.7         | 3.3 | 3.9  | 2.7    | 3.2  | 3.6  |
| 400     | 2.9         | 3.5 | 4.1  | 3.0    | 3.5  | 4.0  |
| 450     | 3.0         | 3.7 | 4.3  | 3.2    | 3.8  | 4.2  |
| 500     | 3.2         | 4.0 | 4.6  | 3.5    | 4.1  | 4.6  |
| 600     | 3.3         | 4.1 | 4.7  | 3.8    | 4.5  | 5.0  |
| 700     | 3.3         | 4.1 | 4.7  | 3.9    | 4.6  | 4.8  |
| 800     | 3.2         | 4.0 | 4.7  | 3.9    | 4.6  | 4.8  |
| 900     | 3.2         | 3.9 | 4.6  | 4.0    | 4.7  | 4.8  |
| 1000    | 3.2         | 4.0 | 4.6  | 3.9    | 4.6  | 4.9  |
| 1100    | 3.0         | 3.8 | 4.5  | 3.8    | 4.5  | 4.7  |
| 1200    | 2.9         | 3.7 | 4.3  | 3.7    | 4.4  | 4.7  |
| 1350    | 2.8         | 3.6 | 4.2  | 3.6    | 4.3  | 4.6  |
| 1500    | 2.6         | 3.4 | 4.0  | 3.4    | 4.2  | 4.4  |
| 1650    | 2.6         | 3.3 | 3.9  | 3.4    | 4.2  | 4.3  |
| 1800    | 2.5         | 3.3 | 3.9  | 3.3    | 4.1  | 4.3  |
| 2000    | 2.4         | 3.1 | 3.7  | 3.2    | 4.0  | 4.3  |
| 2200    | 2.4         | 3.2 | 3.8  | 3.3    | 4.0  | 4.2  |
| 2400    | 2.4         | 3.1 | 3.7  | 3.2    | 4.0  | 4.2  |
| 2600    | 2.3         | 3.1 | 3.7  | 3.2    | 4.0  | 4.2  |
| 2800    | 2.4         | 3.1 | 3.7  | 3.3    | 4.0  | 4.2  |
| 3000    | 2.4         | 3.1 | 3.7  | 3.2    | 4.0  | 4.3  |