# KENDA

### ■ BAR & LUG



K357						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重 (kgs)
4.80/4.00-8	2	TT/TL	120	414	8X3.75	110
4.80/4.00-8	4	TT	120	416	8X3.75	155
4.80/4.00-8	4	TL	120	416	8X3.75	155
16X6.50-8	4	TL	165	425	8X5.375	280
18X9.50-8	4	TL	234	473	8X7.0	470



K357A						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重 (kgs)
4.00-4	4	TT/TL	104	312	4X3	155
3.50-6	4	TT	94	340	6X2.5	165
3.50-8	4	TL	90	384	8X3	190



K359						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
4.00-8	4	TT	119	414	8X3.75	155
13X5.00-6	2	TL	114	325	6X3.5	135
17X8.00-8	4	TL	188	453	8X5.375	370
18X8.00-8	4	TL	210	440	8X7	370
21X11.00-8	4	TL	283	522	8X9	650
19X8.00-10	4	TT	192	497	10X6	375
19X8.00-10	6	TT	195	488	10X6	585



K365						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
4.00-10	4	TT/TL	111	480	10X3	170
5.00-10	4	TT	126	542	10X3	250
5.00-12	4	TT	132	580	12X3	255
6.00-12	4	TT	154	620	12X3	325



K376						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重 (kgs)
4.00-8	4	TT	110	438	8X3	155



K378						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重 (kgs)
20X8.00-10	4	TT	196	520	10X6	410
20X8.00-10	4	TL	196	520	10X6	410
20X8.00-10	10	TT	196	526	10X6	800

#### **■ FARM RIB**



K301						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重(kgs)
4.00-18	4	TT	104	655	18X2.15	460



K401						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重(kgs)
9.5L-15 SL	8	TL	218	732	7.0X15	1120
11L-15 SL	8	TL	268	780	8.0X15	1150
11L-15 SL	10	TL	268	780	8.0X15	1320



K406						
タイヤサイズ	PR	TYPE	総幅 (mm)	外径 (mm)	リム(inch)	荷重(kgs)
3.00-4	4	TT	84	260	170	4X2.10
4.00-4	4	TT	111	310	155	4X3.0
3.50-6	4	TT	95	337	165	6X2.5
3.50-8	4	TT	101	388	190	8X3.0
4.00-8	4	TT	125	425	225	8X3.75

# **D** DURO

### **■ AGRICULTURE**



HF-251					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.00-8	4	110	446	3.0	225
4.50-10	4	129	520	3.0	245
5.00-12	4	128	583	3.0	315
6.00-12	4	157	642	4.0	325



HF-252					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
3.00-4	2	90	275	2.1	71
3.00-4	4	90	275	2.1	110
4.00-8	2	112	428	3.0	155
4.00-8	4	112	428	3.0	224



HF-252A					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.80-8	2	121	414	3.75	197
4.80-8	4	121	414	3.75	305