# etc.

## D DURO CARUSUE

## AGRICULTURE 農業機械

## **D** DURO

#### **■ AGRICULTURE**



	DI-1001					
_	タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
	17X8.00-8	4	205	448	7.0	325



DI-1002					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
10.0/75-15.3	8	264	780	9.00	1360
10.0/75-15.3	10	264	780	9.00	1550



DI-1003					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
7.50-16	6	208	798	6.00F	900
7.50-16	8	208	798	6.00F	1120



DI-1004					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
8.25-16	6	225	830	6.00F	1060
8.25-16	8	225	830	6.00F	1220



DI-1005					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
400/60-15.5	10	404	874	13.00	2575/2180
400/60-15.5	14	404	874	13.00	3075/2575



DI-1006					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
31X15.50-15	4	391	792	13LB	775
31X15.50-15	8	391	792	13LB	1250



DI-1007					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
20X8.00-10	4	200	508	6.0	400
20X8.00-10	10	200	508	6.0	800

#### ■ SNOW BLOWER



HF-270					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
14X4.00-6	2	108.5	352	3.0	145



HF-279					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.10-6	2	102	319	3.25A	132
13X5.00-6	2	112	328	3.5	135
4.80-8	2	120	425	3.75	200
16X6.50-8	2	165	406	5.375	190

#### CARLISLE

## ■ Agriculture



<b>FARM SPECIALI</b>	ST	HF-1	<b>IMPL</b>	EMEN	<b>IT</b>
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
25X7.50-15NHS(TL)	6	191	640	5.50	558
27X9.50-15NHS(TL)	6	244	686	7.00	730
31X13.50-15NHS(TL)	6	343	808	10.00	948
31X13.50-15NHS(TL)	8	351	808	10.00	1188
31X13.50-15NHS(TL)	10	356	808	10.00	1397
31X13.50-15NHS(TL)	12	368	815	10.00	1597

#### **Bridgestone**

#### **■ TRACTOR**



T13H					
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム
7-14	2	T/L	162	697	5-JA
7-16	4	T/L	165	748	5-JA
8-16	4	T/L	192	804	5-JA
8-18	4	T/L	204	849	W-7
8-18	4	W/T	204	849	W-7
8.3-20	4	W/T	206	893	W-7
9.5-20	4	W/T	240	949	W-8
8.3-22	4	W/T	212	945	W-7
9.5-22	4	W/T	240	995	W-8
8.3-24	4	W/T	211	995	W-7
9.5-22	4	W/T	240	1050	W-8
11.2-24	4	W/T	281	1095	W-10
12.4-24 (T13HA)	4	W/T	310	1160	W-11
12.4-24	4	W/T	310	1160	W-11
13.6-24	4	W/T	345	1210	W-12
8.3-26 (T11H)	4	W/T	204	1045	W-7
11.2-26	4	W/T	279	1155	W-10
12.4-26	4	W/T	310	1210	W-11
13.6-26	4	W/T	340	1260	W-12
13.6-28	4	W/T	340	1310	W-12
12.4-32	4	W/T	317	1360	W-11