

## KENDA

## ■ LAWN &amp; GARDEN



## K500 SUPER TURF

タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
4.10/3.50-4	4	TL	95	272	4X2.75	160
11X4.00-4	4	TL	103	271	4X2.75	150
11X4.00-5	4	TL	100	276	5X3	150
13X5.00-6	4	TL	122	322	6X3.5	200
13X5.00-6	6	TL	123	324	6X3.5	255
15X5.50-6	4	TL	136	365	6X4	260
15X5.50-6	6	TL	138	366	6X4	335
15X6.00-6	2	TL	153	363	6X4.5	170
15X6.00-6	4	TL	156	374	6X4.5	260
15X6.00-6	6	TL	156	372	6X4.5	315
16X6.50-8	4	TL	178	400	8X5.375	280
16X6.50-8	6	TL	180	400	8X5.375	350
16X7.50-8	4	TL	184	414	8X5.375	285
16X7.50-8	6	TL	185	428	8X5.375	370
17X7.50-8	4	TL	193	437	8X5.375	360
18X6.50-8	2	TL	170	447	8X5	235
18X6.50-8	4	TL	170	452	8X5.375	350
18X6.50-8	6	TL	170	460	8X5.375	430
18X7.50-8	4	TL	191	457	8X5.375	360
18X8.50-8	4	TL	216	452	8X7	370
18X8.50-8	6	TL	217	452	8X7	475
18X9.50-8	2	TL	234	460	8X7	320
18X9.50-8	4	TL	236	460	8X7	470
18X9.50-8	6	TL	234	476	8X7	595
20X8.00-8	4	TL	222	498	8X7	430
20X8.50-8	4	TL	222	498	8X7	430
20X10.00-8	2	TL	245	485	8X7	340
20X10.00-8	4	TL	250	498	8X7	540
20X10.00-8	6	TL	261	504	8X8	700
20X10.50-8	4	TL	259	508	8X7	540
18X8.50-10	4	TL	190	462	10X6	360
18X10.50-10	4	TL	253	453	10X8	450
20X8.00-10	4	TL	212	510	10X6	405
20X10.00-10	4	TL	246	501	10X8	530
20X10.00-10	6	TL	246	501	10X8	748
21X7.00-10	4	TL	180	525	10X5.5	450
22X10.00-10	2	TL	246	556	10X7	385
22X10.00-10	4	TL	254	560	10X7	610
22X9.50-12	4	TL	226	551	12X7	560
23X8.50-12	4	TL	214	574	12X7	510
23X8.50-12	6	TL	215	576	12X7	655
23X8.50-12	10	TL	219	570	12X7	1080
23X9.50-12	2	TL	247	599	12X7	420
23X9.50-12	4	TL	247	599	12X7	625
23X10.00-12	4	TL	264	572	12X8.5	610
23X10.50-12	4	TL	264	580	12X8.5	610
23X10.50-12	6	TL	265	580	12X8.5	800
23X10.50-12	8	TL	265	580	12X8.5	970
24X9.50-12	4	TL	247	599	12X7	625
24X11.50-12	4	TL	287	587	12X8.5	775
24X12.00-12	4	TL	290	595	12X8.5	775
24X12.00-12	6	TL	293	616	12X8.5	1020
24X12.00-12	8	TL	292	598	12X8.5	1320
26X12.00-12	4	TL	325	655	12X10.5	810
26X12.00-12	6	TL	325	659	12X10.5	1070
26X12.00-12	8	TL	321	669	12X10.5	1385
26X12.00-12	10	TL	325	659	12X10.5	1540
33X12.5-16.5	4	TL	318	838	16.5X9.75	1062

## K505 TURF505

タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
15X6.00-6	4	TL	157	369	6X4.5	260
16X6.50-8	4	TL	166	406	8X5.375	280
18X8.50-8	4	TL	210	450	8X7	370
20X10.00-8	4	TL	244	494	8X7	540
23X8.50-12	4	TL	213	589	12X7	510
23X10.50-12	4	TL	245	576	12X7	640
23X10.50R12	4	TL	245	576	12X7	640

## K505 TURF505

24X12.00-12	4	TL	306	606	12X10.5	775
24X12.00R12	4	TL	306	606	12X10.5	775
24X12.00-12	6	TL	310	609	12X10.5	1020
26X12.00-12	4	TL	307	645	12X10.5	810
26X12.00-12	6	TL	305	640	12X10.5	1050

## K513

タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
18X8.50-10	4	TL	206	465	10X7	360
18X8.50-10	6	TL	205	470	10X7	506
20X7.00-10	4	TL	205	512	10X6	410
20X8.00-10	4	TL	229	516	10X7	405
20.5X8.00-10	4	TL	213	526	10X6	410
20X10.00-10	4	TL	235	510	10X7	525
22X11.00-10	4	TL	258	546	10X7	675
22X10.00-10	4	TL	246	549	10X7	610
24X12.00-12	4	TL	286	579	12X8.5	775

## K358 TURF RIDER

タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(inch)	荷重(kgs)
4.10/3.50-4	2	TT/TL	97	264	4X2.5	120
4.10/3.50-4	4	TL	100	271	4X2.5	160
4.80/4.00-8	2	TL	122	406	8X3.75	200
4.80/4.00-8	4	TL	126	416	8X3.75	305
11X4.00-4	2	TT/TL	103	280	4X2.75	100
11X4.00-4	4	TT/TL	105	290	4X2.75	150
11X4.00-5	2	TL	94	272	5X3	95
11X4.00-5	4	TT/TL	94	272	5X3	150
13X5.00-6	2	TL	117	319	6X3.5	135
13X5.00-6	4	TT/TL	120	325	6X3.5	200
13X5.00-6	6	TL	121	330	6X3.5	255
13X6.50-6	4	TT/TL	154	328	6X4.5	210
13X6.50-6	6	TL	157	339	6X4.5	280
15X6.00-6	2	TT/TL	152	366	6X4.5	170
15X6.00-6	4	TT/TL	158	372	6X4.5	260
15X6.00-6	6	TT/TL	152	362	6X4.5	310
16X6.50-8	2	TL	160	398	8X5.375	190
16X6.50-8	4	TT/TL	164	404	8X5.375	280
16X6.50-8	6	TT/TL	165	400	8X5.375	355
16X7.50-8	2	TL	188	411	8X5.375	220
16X7.50-8	4	TL	188	416	8X5.375	285
18X6.50-8	2	TL	158	437	8X5	235
18X8.50-8	2	TL	216	452	8X7	235
18X8.50-8	4	TL	215	456	8X7	370
18X8.50-8	6	TL	215	469	8X7	475
18X9.50-8	2	TL	230	462	8X7	320
18X9.50-8	4	TL	233	477	8X7	470
18X9.50-8	6	TL	234	471	8X7	595
20X8.00-8	2	TL	226	478	8X7	270
20X8.00-8	4	TL	228	478	8X7	430
20X8.00-8	6	TL	235	482	8X7	555
20X10.00-8	2	TL	248	508	8X7	340
20X10.00-8	4	TL	252	499	8X7	540
20X10.00-8	6	TL	258	516	8X8	700
20X8.00-10	2	TL	203	516	10X6	270
20X8.00-10	4	TL	203	516	10X6	407
20X8.00-10	6	TL	206	531	10X6	515
20X10.00-10	4	TL	237	519	10X8	530
20X10.00-10	6	TL	256	516	10X8	748
22X9.50-12	2	TL	223	541	12X7	390
23X8.50-12	2	TL	213	580	12X7	320
23X8.50-12	4	TL	213	580	12X7	510
23X8.50-12	6	TL	216	590	12X7	655
23X10.50-12	2	TL	250	580	12X8.5	405
23X10.50-12	4	TL	250	580	12X8.5	610
23X10.50-12	6	TL	256	575	12X8.5	800





## ■ LAWN & GARDEN



HF-201					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.10/3.50-4	2	102	268	3.25	105
4.10/3.50-4	4	102	268	3.25	160
4.00-5 T/T	4	103	322	2.5	145
4.10/3.50-5	2	102	294	3.25	120
4.10/3.50-5	4	102	294	3.25	200
4.10/3.50-6	2	102	319	3.25	132
4.10/3.50-6	4	102	319	3.25	200
4.80/4.00-8	2	121	423	3.75	132
4.80/4.00-8	4	121	423	3.75	320
4.80/4.00-8	6	121	423	3.75	340



HF-222S					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.10/3.50-4	2	102	258	3.25	105
4.10/3.50-4	4	102	258	3.25	155
4.10/3.50-5	2	102	294	3.25	160
4.10/3.50-6	2	102	319	3.25	132
4.10/3.50-6	4	102	319	3.25	195



HF-213					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
13X5.00-6	2	122	330	3.5	135
13X5.00-6	4	122	330	3.5	200
140-6	6	135	334	4.5	310
16X6.50-8	4	167	409	5.375	260
16.5X6.50-8	4	165	412	5.375	280
16.5X6.50-8	6	165	412	5.375	360
23X8.50-12	4	216	570	7.00	580
23X8.50-12(TRAILER)	6	216	570	7.00	200
26X12.00-12	4	326	652	10.5	730
26X12.00-12	8	326	652	10.5	1390



HF-224					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.10/3.50-4	2	102	258	3.25	105
11X4.00-5	2	104	272	3.0	95
11X4.00-5	4	104	272	3.0	150
13X5.00-6	2	122	324	3.5	135
13X5.00-6	4	122	324	3.5	200
15X6.00-6	2	165	378	4.50	170
15X6.00-6	4	165	378	4.50	260
15X6.00-6	6	165	378	4.50	310
4.80-8	2	117	416	3.75	195
16X6.50-8	2	165	406	5.375	190
16X6.50-8	4	165	406	5.375	280
18X6.50-8	2	165	445	4.5	235
18X6.50-8	4	165	445	4.5	350
18X8.50-8	2	213	450	7.0	235
18X8.50-8	4	213	450	7.0	370
18X8.50-8	6	213	450	7.0	475
18X9.50-8	2	235	462	7.0	315
18X9.50-8	4	235	462	7.0	470
18X9.50-8	6	235	462	7.0	470
20X8.00-8	2	203	486	5.375	295
20X8.00-8	4	203	486	5.375	405
20X10.00-8	2	249	515	7.0	340
20X10.00-8	4	249	515	7.0	540
20X10.00-8	6	249	515	7.0	680
22X11.00-8	2	250	580	8.5	425
22X11.00-8	4	250	580	8.5	670
20X10.00-10	2	226	518	8.0	285
20X10.00-10	4	226	518	8.0	525
20X10.00-10	6	226	518	8.0	745
23X8.50-12	2	213	574	7.0	320
23X8.50-12	4	213	574	7.0	510
23X8.50-12	6	213	574	7.0	655
23X9.50-12	2	235	577	7.0JA	415
23X9.50-12	4	235	577	7.0JA	595
23X10.50-12	2	264	579	8.5	405
23X10.50-12	4	264	579	8.5	610
23X10.50-12	6	264	579	8.5	800



HF-217					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
11X4.00-4	2	109	287	3.0	103
11X4.00-4	4	109	287	3.0	145
11X7-4	4	185	270	157mm	255
11X4.00-5	2	104	272	3.0	95
11X4.00-5	4	104	272	3.0	145
13X5.00-6	2	122	320	3.5	135
13X5.00-6	4	122	320	3.5	200
15X6.00-6	2	155	366	4.5	165
15X6.00-6	4	155	366	4.5	260
15X6.00-6	6	155	366	4.5	300
16X6.50-8	2	161	400	5.375	190
16X6.50-8	4	161	400	5.375	280
16X6.50-8	6	161	400	5.375	345
18X8.50-8	2	213	450	7.0	236
18X8.50-8	4	213	450	7.0	375
18X8.50-8	6	213	450	7.0	475
18X9.50-8	2	220	460	7.0	315
18X9.50-8	4	220	460	7.0	470



HF-217A					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
18X8.50-8	4	218	454	7.0	370
18X8.50-8	6	218	454	7.0	430



HF-224A					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
11X4.00-4	2	110	280	3.0	103



HF-222					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
4.10/3.50-4	2	102	265	3.25	105
4.10/3.50-4	4	102	265	3.25	155
5.30/4.50-6	4	144	351	4.25	320
5.30/4.50-6	6	144	351	4.25	400



HF-224D					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
15X6.00-6	2	155	365	4.5	165
15X6.00-6	4	155	365	4.5	257
16X6.50-8	2	165	406	5.375	190
16X6.50-8	4	165	406	5.375	280
18X8.50-8	2	213	450	7.0	235
18X9.50-8	2	235	462	7.0	315
20X8.00-8	2	190	495	7.0	295

TURF

GOLF CAR

A.T.V

AGRICULTURE

INDUSTRIAL

OFF THE ROAD

TRAILER

LIGHT TRUCK

IMPLEMENT

HAND CART

GO KART

etc.



## ■ Turf & Lawn



### TURF SAVER

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
9X3.50-4	4	91	224	2.50	118
4.10-4	2	97	277	2.50	102
11X4.00-4	2	104	284	2.50	98
11X4.00-5	2	102	277	3.00	95
13X5.00-6	2	119	325	3.50	132
13X5.00-6	4	122	330	3.50	200
13X6.50-6	2	165	338	4.50	145
13X6.50-6	4	160	340	4.50	218
15X6.00-6	2	163	363	4.50	166
16X6.50-8	2	168	414	5.38	172
16X6.50-8	4	163	417	5.38	279
16X7.50-8	2	178	417	5.38	218
4.80-8	2	122	419	3.75	200
18X6.50-8	2	163	437	5.38	236
18X6.50-8	4	165	437	5.38	345
18X7.50-8	4	183	457	5.38	365
18X8.50-8	2	208	455	7.00	236
18X8.50-8	4	208	462	7.00	374
18X9.50-8	2	241	452	7.00	315
18X9.50-8	4	239	455	7.00	424
18X9.50-8	6	241	470	7.00	587
20X8.00-8	2	229	488	7.00	272
20X10.00-8	2	264	498	7.00	345
20X8.00-10	4	201	508	6.00	413
20X10.00-10	4	224	511	6.00	556
21X7.00-10	2	175	513	5.00	290
22X9.50-12	2	226	541	7.00	356
23X8.50-12	2	216	587	7.00	324
23X9.50-12	2	239	589	7.00	417
23X10.50-12	2	264	579	8.50	399
23X10.50-12	4	262	582	8.50	599
24X12.00-12	2	295	584	8.50	517



### MULTI-TRAC C/S

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
18X7.00-8	4	178	457	5.38	356
18X8.50-8	8	211	447	7.00	581
18X9.50-8	6	236	462	7.00	587
20X8.00-8	2	229	488	7.00	272
18X8.50-10	4	211	457	7.00	374
18X8.50-10	6	206	462	7.00	476
18X10.50-10	4	257	455	8.50	451
23X8.50-12	6	211	572	7.00	649
23X9.50-12	4	234	584	7.00	558
23X10.50-12	6	259	572	8.50	798
25X9.00-12	4	241	632	8.00	689
25X11.00-12	4	274	640	8.00	828
26X9.50-12	4	236	648	7.00	689
26X12.00-12	4	290	645	8.50	798
26X12.00-12	6	292	650	8.50	1030
24X8.50-14	4	213	605	7.00	558
25X8.50-14	4	218	635	7.00	599
25X8.50-14	6	218	632	7.00	748
27X8.50-15	4	216	676	7.00	558
27X8.50-15	6	218	676	7.00	712
27X10.50-15	4	259	683	8.50	599
27X10.50-15	8	267	686	8.50	848
29X12.50-15	10	318	737	10.00	1120
31X13.50-15	4	343	800	10.00	748



### TURF TRAC R/S

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
11X4.00-5	2	102	269	3.00	95
15X6.00-6	4	160	366	4.50	256
16X6.50-8	4	168	406	5.38	280
18X8.50-8	4	206	450	7.00	374
20X10.00-8	4	246	500	7.00	544
22.5X10.00-8	4	267	574	7.00	630
25X12.00-9	4	292	653	9.00	826
20X10.00-10	4	239	498	8.00	531
20X12.00-10	4	257	503	7.00	599
22X9.50-10	4	241	551	7.00	442
24X9.50-10	4	249	617	7.75	644
24X12.00-10	4	302	620	7.75	776
23X10.50-12	4	264	574	8.50	599
24X12.00-12	6	279	592	8.50	1030
26X12.00-12	10	315	643	10.50	1497



### ULTRA TRAC

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
24X13.00-12	4	328	584	10.50	798
24X13.00-12	6	328	594	10.50	1030
26.5X14.00-12	4	366	673	10.50	975
29X14.00-15	6	363	726	11.00	776



### TURF CTR

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
22X11.00-8	4	274	569	9.00	424



### SMOOTH

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
8X3.00-4	4	74	208	2.50	54
9X3.50-4	4	94	226	2.50	118
11X4.00-5	4	104	284	3.50	150
11X6.00-5	4	132	282	3.25	204
13X5.00-6	4	122	323	3.50	200
13X6.50-6	4	150	328	4.50	218
4.80-8	4	122	427	3.75	345
18X9.50-8	4	236	452	7.00	463
18X10.50-10	4	236	467	8.00	499
20X10.00-10	2	241	495	8.50	370
24X13.00-12	4	333	602	10.50	785



### TURF MASTER

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
13X6.50-6	4	155	340	4.50	218
15X6.00-6	4	152	366	4.50	256
15X6.50-8	4	157	381	5.38	265
16X6.50-8	4	160	419	5.38	279
16X7.50-8	4	178	419	5.38	306
18X6.50-8	4	163	442	5.38	345
18X8.50-8	4	206	465	7.00	374
18X9.50-8	4	234	460	7.00	472
20X10.00-8	4	262	505	7.00	544
20X7.00-10	4	196	521	6.00	413
20X8.00-10	4	206	513	6.00	413
20X10.00-10	4	224	508	6.00	531
20X10.00-10	6	241	495	7.00	649
20X12.00-10	4	262	511	8.00	599
22X10.00-10	4	249	561	7.00	617



### STRAIGHT RIB

タイヤサイズ	PR	総幅(mm)	外径(mm)	リム(inch)	荷重(kg)
11X4.00-4	4	104	264	2.50	150
11X4.00-5	4	107	282	3.00	150
13X5.00-6	4	119	325	3.50	200
13X6.50-6	4	150	330	4.50	218
15X6.00-6	4	155	366	4.50	256
16X6.50-8	4	165	406	5.38	279
18X9.50-8	4	236	450	7.00	463
20X10.00-10	4	224	508	6.00	531
26X12.00-12	4	297	635	10.50	798



BRIDGESTONE

## ■ LAWN &amp; GOLF CAR



SO						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
18X9.50-8	2	T/L	223	433	7.00I	



PD						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
13X6.00-8	2	T/L	148	342	5.00	
18X7.00-8	2	T/L	170	457	5.50	
18X7.00-8	4	T/L	170	457	5.50	
18X7.00-8	6	T/L	177	460	5.50	
18X8.50-8	4	T/L	213	452	7.00I	
18X9.50-8	4	T/L	230	464	7.00	
19X8.00-10	2	W/T	210	490	7.00D	
19X8.00-10	4	T/L	217	490	7.00D	
20X8.00-10	4	W/T	180	503	5.00D	
20X8.00-10	4	T/L	200	503	7.00I	
23X8.50-12	4	T/L	213	578	7.00I	
27X8.50-15	4	W/T	214	684	7.00I	



PD5						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
13X5.00-6	2	T/L	122	320	3.50A	
16X6.50-8	2	T/L	165	406	5.375I	
16X6.50-8	6	T/L	168	415	5.375I	



PD1						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
16X6.50-8	2	T/L	165	406	5.375I	
16X6.50-8	4	T/L	165	411	5.375I	
16X4.50-9	2	W/T	104	401	3.00D	
20.5X8.00-10	4	T/L	205	533	6.00I	
22X8.50-12	4	T/L	212	552	7-JA	
23X10.50-12	4	T/L	264	589	8-1/2JA	
24X8.50-12	4	T/L	219	606	7-JA	
24X8.50-14	4	T/L	216	604	7-JA	
25X8.50-14	4	T/L	219	646	7-JA	
27X8.50-15	4	T/L	220	684	7-JA	
29X12.00-15	4	T/L	307	750	10-LB	
31X13.5-15	4	T/L	342	793	10-LB	
31X15.5-15	4	T/L	397	790	13-LB	
215/80D15	4	W/T	215	721	7-JA	
13.6-16	4	W/T	357	997	W-12	
355/80D20	4	W/T	345	1076	W-11	
475/65D20	4	W/T	465	1126	W-15L	



PD3						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
14X5.00-6	2	T/L	125	350	3.50A	
18X8.50-8	2	T/L	213	448	7.00	



M40B						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
16X6.50-8	2	T/L	165	406	5.375I	
16X6.50-8	4	T/L	165	411	5.375I	
20X-10.00-8	2	T/L	261	506	8.5-JA	
20X-10.00-8	4	T/L	265	500	8.5-JA	
20X8.00-10	4	T/L	193	502	6.00I	
23X8.50-12	4	T/L	216	578	7-JA	
23X10.50-12	4	T/L	264	589	8.5-JA	
24X8.50-12	4	T/L	222	620	7-JA	
315/75D15	4	T/L	316	853	10-LB	
315/80D16	6	T/L	316	910	10-LB	



M50G						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
31X13.5-15	6	T/L	340	777	10-LB	



FD						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
6-12	4	W/T	164	605	5-JA	
6-14	4	W/T	163	654	5-JA	
8-16	4	W/T	208	790	6.00F	
11.2-24	4	W/T	285	1071	W-10	
13.6-28	6	W/T	355	1287	W-12	



PR						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
11X4.00-5	2	T/L	97	272	3.00	
14X5.00-6	2	T/L	125	350	3.50A	
18X8.50-8	4	T/L	213	445	7.00I	



PD2						
タイヤサイズ	PR	TYPE	断面幅(mm)	外径(mm)	適用リム	
21X11.00-10	2	W/T・T/L	274	528	8.50I	



Firestone

■ TURF



TURF&FIELD						
商品名	PR	TYPE	幅(mm)	外径(mm)	リム	荷重(kg)
9.5-16	6	TL	241	820	8	630

FALKEN

■ LAWN MOWER

WT:チューブタイプ TL:チューブレスタイプ { }内は当社推奨値



A510						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム	負荷能力(kg)
12X4.00-5	2	TL	112	298	{3.00}	{120}
14X5.00-6	2	TL	127	350	{3.50A}	{150}
16X6.50-8	4	TL	165	406	5.375I	280
18X8.50-8	2	TL	213	445	7.00I	235
18X8.50-8	4	TL	213	445	7.00I	370
20X10.00-8	4	TL	244	508	7.00I	540



A520						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム	負荷能力(kg)
16X6.50-8	2	WT/TL	165	403	5.375I	190
16X6.50-8	4	TL	165	403	5.375I	280
20X8.00-10	4	WT	203	500	7.00SP	400
20X8.00-10	4	TL	193	500	6.00I	400
20X8.00-10	6	WT/TL	206	500	{7.00SP}	{530}
22X8.50-12	4	WT	216	559	7JA	487
23X10.50-12	2	TL	264	579	8.5JA	405
23X10.50-12	4	TL	264	579	8.5JA	610
24X13.00-12	6	TL	315	600	{10.5JA}	{1020}
190/50-12	4	TL	183	500	{6.0AT}	{320}
190/50-12	6	TL	183	500	{6.0AT}	{400}



TG10						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム	負荷能力(kg)
18X9.50-8	4	TL	235	458	7.00I	470

GOODYEAR

■ TURF



Laborer						
タイヤサイズ	PR	TYPE	幅(mm)	外径(mm)	リム(in)	荷重(kg)
11L-15SL	8	TL	287	782	8	948
11L-15SL	10	TL	277	782	8	1061
11L-16SL	12	TL	276	803	8	1252
14.5/75-16.1S	10	TL	376	935	11	1451



SFT105						
タイヤサイズ	PR	TYPE	幅(mm)	外径(mm)	リム(in)	荷重(kg)
11.2-24	6	TL	287	1080	10	948
16.9-30	6	TL	437	1461	15	1696
54x31.00-26NHS	10	TL	728	1387	25	3084



SofTrac						
タイヤサイズ	PR	TYPE	幅(mm)	外径(mm)	リム(in)	荷重(kg)
25X10.00-12	6	TL	246	627	8	898
25X10.50-15	4	TL	264	625	8	444
25X10.50-15	6	TL	267	640	8	558
25X8.50-14	6	TL	224	653	7	744
31X15.50-15	4	TL	386	777	13	776
33X12.50-15	4	TL	328	864	10	948
38X14.00-20	4	TL	361	977	11	1061



All Weather						
タイヤサイズ	PR	TYPE	幅(mm)	外径(mm)	リム(in)	荷重(kg)
9.5-16	8	TL	246	810	8	748
9.5-24	4	TL	246	1003	8	671
13.6-16.1	8	TL	358	991	11	1061
14.9-24	6	TL	391	1262	12	1361
16.9-24	6	TL	437	1276	15	1551
18.4-16.1	8	TL	475	1105	16	1320
18.4-26	12	TL	485	1415	16	2649
23.1-26	12	TL	582	1494	20	3243
23.1-26	8	TL	577	1491	20	2576
28L-26	16	TL	739	1580	25	4128
30.5L-32	12	TL	765	1770	27	4241
VA30.5L-32	16	TL	765	1770	27	4990

TURF

GOLF CAR

A.T.V

AGRICULTURE

INDUSTRIAL

OFF THE ROAD

TRAILER

LIGHT TRUCK

IMPLEMENT

HAND CART

GO KART

etc.

## CST.

## ■ LAWN &amp; GARDEN



C179			
タイヤサイズ	PR	TYPE	備考
6X1-1/4		TT	GRAYタイヤ
170X35	2	TT	GRAYタイヤ
4.80/4.00-8	4	TT	



C190			
タイヤサイズ	PR	TYPE	備考
19X10.5-8	4	TT	



C769			
タイヤサイズ	PR	TYPE	備考
21X8.50-12	4	TL	

## TITAN

## ■ TURF



Soft-Turf						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(in)	荷重(kg)
12-16.5	10	TL	361	836	9.75	2540
14-17.5	10	TL	384	925	10.5	3107
25X10.50LL-15	6	TL	257	671	8	424
27X12LL-15	6	TL	310	695	10	599
LSW305-521	6	TL	305	851	210mm	1061
LSW570-648	6	TL	586	1165	457mm	3084



Torc-Trac						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(in)	荷重(kg)
12-16.5NHS	8	TL	307	841	9.75	1483
14.9-24	10	TL	386	1229	13	1796
14.9-24	8	TL	386	1229	13	1597
16.9-24	8	TL	447	1311	15	1851
18.4-26	12	TL	499	1452	16	2649
18.4-26	18	TL	495	1443	16	3357
23.1-26	12	TL	616	1579	20	3243
33X15.50-16.5NHS	12	TL	361	838	12	2994

## GALAXY

## ■ TURF



Turf Special R-3						
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	リム(in)	荷重(kg)
24X13LL-12	4	TL	307	599	10.50	558
25X10.50LL-15	6	TL	262	643	8.00	454
27X10.50LL-15	6	TL	269	678	8.00	440
27X12LL-15	6	TL	310	678	10.00	517
33X18LL-16.1	10	TL	475	851	16.00	2486
12LL-16	6	TL	320	820	10.00	608
41X18LL-16.1	6	TL	485	1062	16.00	1225
22.5LL-16.1	6	TL	582	1133	18.00	1692
41X18LL-22.5	14	TL	462	1046	14.00	4082



GARDEN PRO					
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	適用リム幅(in)
280/70R18		TL	282	849	W9

※現在はBS 9.5-18 FD (幅:242mm 外径:870mm)のタイヤを造っていませんので上記乗用車タイヤを代替品としてお勧めさせていただきます。



MIGHTY MOW-TS					
タイヤサイズ	PR	TYPE	総幅(mm)	外径(mm)	適用リム幅(in)
16X6.50-8	4	TL	165	410	5.375X8
18X8.50-8	4	TL	215	445	7
18X9.50-8	6	TL	225	465	7.00
20X10.00-10	6	TL	250	510	8.00
23X10.50-12	6	TL	260	575	8.5
26X12.00-12	8	TL	300	640	10.50,8.50



## ■ LAWN &amp; GARDEN



CHEVRON					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム	荷重(kg)
13X5.00-6	4	119	323	6X3.5	200
13X6.50-6	4	160	337	6X4.5	209
18X8.50-8	4	213	448	8X7	375



CHEVRON II					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム	荷重(kg)
11X4.00-4	4	100	288	4X3	155
15X6.00-6	4	159	372	6X4.5	256
16X7.50-8	4	179	421	8X5.375	307
18X6.50-8	4	182	454	8X5.5	350
18X8.50-8	4	210	451	8X7	375
18X9.50-8	4	235	451	8X7	414
20X8.00-10	4	201	508	10X6	425
20X10.00-8	4	250	505	8X8	545
20X10.00-10	4	201	508	10X7	425



ULTRA CHEVRON					
タイヤサイズ	PR	総幅(mm)	外径(mm)	リム	荷重(kg)
24X13.00-12	4	327	579	12X10.5	786
26X12.00-14	6	312	661	14X9.5	1123
26.5X14.00-12	4	360	671	12X10.5	986
29X14.00-15	12	368	737	15X12	1914